

# GasAlertMicro 5 Series



**WATER RESISTANT** 

### Standard Package Contents





- Detector complete with specified sensor(s), stainless steel alligator clip and concussion-proof housing
- Specified battery option
- Charging adaptor (with rechargeable battery option)
- Screwdriver
- Calibration/test adaptor and hose
- Manual
- Multi-language manual CD

### Protect yourself

Compact and lightweight, GasAlertMicro 5 Series instruments are available in diffusion or pumped instruments. Each of the portable gas detectors simultaneously monitors and displays up to five potential atmospheric hazards. The GasAlertMicro 5 PID model also identifies PID detectable VOCs, while the GasAlertMicro 5 IR uses an NDIR sensor to monitor CO<sub>2</sub> levels. Adaptable to a variety of applications, GasAlertMicro 5 Series instruments have an extensive selection of user-settable field options. Use the passcode function to prevent unauthorized modifications of the instrument's settings. Compatible with BW's MicroDock II automatic test and calibration system, the GasAlertMicro 5 is unparalleled in its versatility, performance and overall value.



### General Specifications

<b>Size</b>	5.7 x 2.9 x 1.5 in. / 14.5 x 7.4 x 3.8 cm
<b>Weight</b>	13.1 oz. / 370 g
<b>Temperature</b>	-4 to +122°F / -20 to +50°C -14 to +104°F / -10 to +40°C (PID)
<b>Certifications and approvals</b>	<p> Class I, Div. 1, Gr. A, B, C, D</p> <p> American Bureau of Shipping - Toxic &amp; PID only</p> <p><b>ATEX:</b>  Ex ia IIC T4*  Ex d ia IIC T4*</p> <p><b>IECEX:</b> Ex ia IIC T4* Ex d ia IIC T4* - IR model only</p> <p><b>INMETRO:</b> BR-Ex ia IIC T4* BR-Ex d ia IIC T4* - IR model only</p> <p><b>CE:</b> European Conformity</p> <p><small>*Temperature codes may vary as a function of the batteries installed. Please see owner's manual for a complete listing of compatible batteries and codes.</small></p>
<b>Warranty</b>	Full 2 year warranty including sensors (1 year Cl <sub>2</sub> , NH <sub>3</sub> , O <sub>3</sub> , ETO, ClO <sub>2</sub> & PID sensor)

**BW Technologies**  
by Honeywell

VOCs

CO<sub>2</sub>

LEL

H<sub>2</sub>S

CO

O<sub>2</sub>

SO<sub>2</sub>

PH<sub>3</sub>

NH<sub>3</sub>

NO<sub>2</sub>

HCN

Cl<sub>2</sub>

ClO<sub>2</sub>

O<sub>3</sub>

GasAlertMicro 5 Detector	Order Number	Price (USD)
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, SO <sub>2</sub> - alkaline batteries	M5-XWSY-A-D-0-Y-N-00	\$1,200.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, SO <sub>2</sub> - lithium polymer battery	M5-XWSY-R-D-0-Y-N-00	\$1,350.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, SO <sub>2</sub> - lithium polymer battery and pump	M5-XWSY-R-P-0-Y-N-00	\$1,475.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, SO <sub>2</sub> - lithium polymer battery and datalogging	M5-XWSY-R-D-D-Y-N-00	\$1,450.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, SO <sub>2</sub> - lithium polymer battery, pump and datalogging	M5-XWSY-R-P-D-Y-N-00	\$1,575.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, NH <sub>3</sub> - alkaline batteries	M5-XWAY-A-D-0-Y-N-00	\$1,300.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, NH <sub>3</sub> - lithium polymer battery	M5-XWAY-R-D-0-Y-N-00	\$1,450.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, NH <sub>3</sub> - lithium polymer battery and pump	M5-XWAY-R-P-0-Y-N-00	\$1,575.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, NH <sub>3</sub> - lithium polymer battery and datalogging	M5-XWAY-R-D-D-Y-N-00	\$1,550.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, NH <sub>3</sub> - lithium polymer battery, pump and datalogging	M5-XWAY-R-P-D-Y-N-00	\$1,675.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, Cl <sub>2</sub> - alkaline batteries	M5-XWCY-A-D-0-Y-N-00	\$1,200.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, Cl <sub>2</sub> - lithium polymer battery	M5-XWCY-R-D-0-Y-N-00	\$1,350.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, Cl <sub>2</sub> - lithium polymer battery and pump	M5-XWCY-R-P-0-Y-N-00	\$1,475.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, Cl <sub>2</sub> - lithium polymer battery and datalogging	M5-XWCY-R-D-D-Y-N-00	\$1,450.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO, Cl <sub>2</sub> - lithium polymer battery, pump and datalogging	M5-XWCY-R-P-D-Y-N-00	\$1,575.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - alkaline batteries	M5-XW0Y-A-D-0-Y-N-00	\$905.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - alkaline batteries and pump	M5-XW0Y-A-P-0-Y-N-00	\$1,030.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - alkaline batteries, pump and datalogging	M5-XW0Y-A-P-D-Y-N-00	\$1,130.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery	M5-XW0Y-R-D-0-Y-N-00	\$1,055.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery and pump	M5-XW0Y-R-P-0-Y-N-00	\$1,180.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery and datalogging	M5-XW0Y-R-D-D-Y-N-00	\$1,155.00
%LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery, pump and datalogging	M5-XW0Y-R-P-D-Y-N-00	\$1,280.00

### GasAlertMicro 5 Region Codes

For orders outside North America, change order number component “-N” to:

“-E”	Europe	“-B”	Brazil
“-U”	United Kingdom	“-X”	Other region with 3-pin UK plug
“-A”	Australia	“-Y”	Other region with 2-pin UK plug
“-C”	China/New Zealand		

Note: Listed above are **commonly ordered** instrument configurations. To create a custom GasAlertMicro 5 detector, use the configurator table on the next page or contact BW Technologies for a copy of the electronic pricing and order number configurator.

### Gas Legend

%LEL	Combustible	ClO <sub>2</sub>	Chlorine dioxide
O <sub>2</sub>	Oxygen	NH <sub>3</sub>	Ammonia
H <sub>2</sub> S	Hydrogen sulfide	PH <sub>3</sub>	Phosphine
CO	Carbon monoxide	HCN	Hydrogen cyanide
SO <sub>2</sub>	Sulfur dioxide	NO <sub>2</sub>	Nitrogen dioxide
Cl <sub>2</sub>	Chlorine	O <sub>3</sub>	Ozone



**GasAlertMicro 5**  
Diffusion version with datalogging



**GasAlertMicro 5**  
Pump version

# GasAlertMicro<sup>5</sup> Order Number and Pricing Configurator

Sensor - Toxic 2		
None (dummy sensor)	\$0.00	0
CO and H <sub>2</sub> S (TwinTox dual channel)	\$250.00	Y
H <sub>2</sub> S (hydrogen sulfide)	\$190.00	H
CO (carbon monoxide)	\$200.00	M
SO <sub>2</sub> (sulfur dioxide)	\$295.00	S
Cl <sub>2</sub> (chlorine)	\$295.00	C
ClO <sub>2</sub> (chlorine dioxide)	\$295.00	V
NH <sub>3</sub> (ammonia)	\$395.00	A
PH <sub>3</sub> (phosphine)	\$295.00	P
HCN (hydrogen cyanide)	\$295.00	Z
NO <sub>2</sub> (nitrogen dioxide)	\$295.00	D
O <sub>3</sub> (ozone)	\$485.00	G

Sensor - Toxic 1		
None (dummy sensor)	\$0.00	0
H <sub>2</sub> S (hydrogen sulfide)	\$190.00	H
CO (carbon monoxide)	\$200.00	M
SO <sub>2</sub> (sulfur dioxide)	\$295.00	S
Cl <sub>2</sub> (chlorine)	\$295.00	C
ClO <sub>2</sub> (chlorine dioxide)	\$295.00	V
NH <sub>3</sub> (ammonia)	\$395.00	A
PH <sub>3</sub> (phosphine)	\$295.00	P
HCN (hydrogen cyanide)	\$295.00	Z
NO <sub>2</sub> (nitrogen dioxide)	\$295.00	D
O <sub>3</sub> (ozone)	\$485.00	G

Sensor - Combustible Gases		
None (dummy sensor)	\$0.00	0
%LEL (combustibles)	\$155.00	W
None	\$0.00	0
O <sub>2</sub> (oxygen)	\$120.00	X

Base Unit		
Base unit	\$380.00	M5

A	\$0.00	Alkaline
R	\$150.00	Rechargeable lithium polymer battery pack and cradle charger
V	\$220.00	Rechargeable lithium polymer battery pack, cradle charger and vehicle adaptor

Sampling		
D	\$0.00	Diffusion
P	\$125.00	Motorized sampling pump

Datalogging		
0	\$0.00	None
D	\$100.00	Datalogging monitor (incl. Fleet Manager II software)

Housing		
Y		Yellow housing
B		Black housing
Region		
N		North America
E		Europe
C		China/New Zealand
U		United Kingdom
A		Australia
B		Brazil
X		Other region with 3-pin UK plug
Y		Other region with 2-pin EU plug

Order number:  -  -  -  -  -  -  -  -  -  -

Price (USD):  +  +  +  +  +  +  +  +  +  +  =

For example, the order number for a GasAlertMicro 5 configured for O<sub>2</sub>, %LEL, Cl<sub>2</sub>, H<sub>2</sub>S and CO and equipped with a rechargeable lithium polymer battery pack and cradle charger, motorized sampling pump, datalogging, yellow housing and North American power connectivity would be M5-XWCY-R-P-D-Y-N-00 and the price would be \$1,575.00.

USA 1 888 749 8878 Europe +44 (0)1295 700 300 China +86 10 6786 7305  
 Canada 1 800 663 4164 France +33 (0) 442 98 17 70 S.E. Asia +65 6580 3468  
 Australia +1 300 729 450 Middle East +971 4 8871766 Other Countries +1 403 248 9226

[www.gasmonitors.com](http://www.gasmonitors.com) [info@gasmonitors.com](mailto:info@gasmonitors.com)



## GasAlertMicro 5 PID Detector

	Order Number	Price (USD)
VOCs, %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - alkaline batteries	M5PID-XWQY-A-D-0-Y-N-00	\$1,520.00
VOCs, %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - alkaline batteries and pump	M5PID-XWQY-A-P-0-Y-N-00	\$1,645.00
VOCs, %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - alkaline batteries, pump and datalogging	M5PID-XWQY-A-P-D-Y-N-00	\$1,745.00
VOCs, %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery	M5PID-XWQY-R-D-0-Y-N-00	\$1,670.00
VOCs, %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery and pump	M5PID-XWQY-R-P-0-Y-N-00	\$1,795.00
VOCs, %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery, pump and datalogging	M5PID-XWQY-R-P-D-Y-N-00	\$1,895.00
VOCs, %LEL, O <sub>2</sub> - alkaline batteries	M5PID-XWQ0-A-D-0-Y-N-00	\$1,270.00
VOCs, %LEL, O <sub>2</sub> - alkaline batteries and pump	M5PID-XWQ0-A-P-0-Y-N-00	\$1,395.00
VOCs, %LEL, O <sub>2</sub> - alkaline batteries, pump and datalogging	M5PID-XWQ0-A-P-D-Y-N-00	\$1,495.00
VOCs, %LEL, O <sub>2</sub> - lithium polymer battery	M5PID-XWQ0-R-D-0-Y-N-00	\$1,420.00
VOCs, %LEL, O <sub>2</sub> - lithium polymer battery and pump	M5PID-XWQ0-R-P-0-Y-N-00	\$1,545.00
VOCs, %LEL, O <sub>2</sub> - lithium polymer battery, pump and datalogging	M5PID-XWQ0-R-P-D-Y-N-00	\$1,645.00
VOCs - alkaline batteries	M5PID-00Q0-A-D-0-Y-N-00	\$995.00
VOCs - alkaline batteries and pump	M5PID-00Q0-A-P-0-Y-N-00	\$1,120.00
VOCs - alkaline batteries, pump and datalogging	M5PID-00Q0-A-P-D-Y-N-00	\$1,220.00
VOCs - lithium polymer battery	M5PID-00Q0-R-D-0-Y-N-00	\$1,145.00
VOCs - lithium polymer battery and pump	M5PID-00Q0-R-P-0-Y-N-00	\$1,270.00
VOCs - lithium polymer battery, pump and datalogging	M5PID-00Q0-R-P-D-Y-N-00	\$1,370.00

## GasAlertMicro 5 PID Region Codes

For orders outside North America, change order number component “-N” to:

“-E”	Europe	“-B”	Brazil
“-U”	United Kingdom	“-X”	Other region with 3-pin UK plug
“-A”	Australia	“-Y”	Other region with 2-pin UK plug
“-C”	China/New Zealand		

*Note: Listed above are commonly ordered instrument configurations. To create a custom GasAlertMicro 5 PID detector, use the configurator table on the next page or contact BW Technologies for a copy of the electronic pricing and order number configurator.*

## Gas Legend

VOCs	Volatile organic compounds	ClO <sub>2</sub>	Chlorine dioxide
%LEL	Combustible	NH <sub>3</sub>	Ammonia
O <sub>2</sub>	Oxygen	PH <sub>3</sub>	Phosphine
H <sub>2</sub> S	Hydrogen sulfide	HCN	Hydrogen cyanide
CO	Carbon monoxide	NO <sub>2</sub>	Nitrogen dioxide
SO <sub>2</sub>	Sulfur dioxide	O <sub>3</sub>	Ozone
Cl <sub>2</sub>	Chlorine		



**GasAlertMicro 5 PID**  
Diffusion version with datalogging



**GasAlertMicro 5 PID**  
Pump version with datalogging

# GasAlertMicro<sup>5</sup> PID Order Number and Pricing Configurator

<b>Sensor - Toxic 2</b>			<b>Battery</b>		
None (dummy sensor)	\$0.00	0	A	\$0.00	Alkaline
CO and H <sub>2</sub> S (TwinTox dual channel)	\$250.00	Y	R	\$150.00	Rechargeable lithium polymer battery pack and cradle charger
H <sub>2</sub> S (hydrogen sulfide)	\$190.00	H	V	\$220.00	Rechargeable lithium polymer battery pack, cradle charger and vehicle adaptor
CO (carbon monoxide)	\$200.00	M	<b>Sampling</b>		
SO <sub>2</sub> (sulfur dioxide)	\$295.00	S	D	\$0.00	Diffusion
Cl <sub>2</sub> (chlorine)	\$295.00	C	P	\$125.00	Motorized sampling pump
ClO <sub>2</sub> (chlorine dioxide)	\$295.00	V	<b>Datalogging</b>		
NH <sub>3</sub> (ammonia)	\$395.00	A	0	\$0.00	None
PH <sub>3</sub> (phosphine)	\$295.00	P	D	\$100.00	Datalogging monitor (incl. Fleet Manager II software)
HCN (hydrogen cyanide)	\$295.00	Z	<b>Housing</b>		
NO <sub>2</sub> (nitrogen dioxide)	\$295.00	D	Y	Yellow housing	
O <sub>3</sub> (ozone)	\$485.00	G	B	Black housing	
<b>Sensor - Toxic 1</b>			<b>Region</b>		
None (dummy sensor)	\$0.00	0	N	North America	
PID (photoionization detector) for VOCs (volatile organic compounds)	\$595.00	Q	E	Europe	
<b>Sensor - Combustible Gases</b>			C	China/New Zealand	
None (dummy sensor)	\$0.00	0	U	United Kingdom	
%LEL (combustibles)	\$155.00	W	A	Australia	
<b>Sensor - Oxygen</b>			B	Brazil	
None	\$0.00	0	X	Other region with 3-pin UK plug	
O <sub>2</sub> (oxygen)	\$120.00	X	Y	Other region with 2-pin EU plug	
<b>Base Unit</b>					
Base unit	\$400.00	M5PID			

Order number:  -  -  -  -  -  -  -  -  -  -

Price (USD):  +  +  +  +  +  +  +  +  +  +  =

For example, the order number for a GasAlertMicro 5 PID configured for O<sub>2</sub>, %LEL, VOCs, H<sub>2</sub>S and CO and equipped with a rechargeable lithium polymer battery pack and cradle charger, motorized sampling pump, datalogging, yellow housing and North American power connectivity would be M5PID-XWQY-R-P-D-Y-N-00 and the price would be \$1,895.00.

USA	1 888 749 8878	Europe	+44 (0)1295 700 300	China	+86 10 6786 7305	
Canada	1 800 663 4164	France	+33 (0) 442 98 17 70	S.E. Asia	+65 6580 3468	
Australia	+1 300 729 450	Middle East	+971 4 8871766	Other Countries	+1 403 248 9226	
<a href="http://www.gasmonitors.com">www.gasmonitors.com</a>			<a href="mailto:info@gasmonitors.com">info@gasmonitors.com</a>			

## GasAlertMicro 5 IR Detector

	Order Number	Price (USD)
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - alkaline batteries	M5IR-XWBY-A-D-0-Y-N-00	\$1,730.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery	M5IR-XWBY-R-D-0-Y-N-00	\$1,880.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery and pump	M5IR-XWBY-R-P-0-Y-N-00	\$2,005.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery and datalogging	M5IR-XWBY-R-D-D-Y-N-00	\$1,980.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S, CO - lithium polymer battery, pump and datalogging	M5IR-XWBY-R-P-D-Y-N-00	\$2,105.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S - alkaline batteries	M5IR-XWBH-A-D-0-Y-N-00	\$1,670.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S - lithium polymer battery	M5IR-XWBH-R-D-0-Y-N-00	\$1,820.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S - lithium polymer battery and pump	M5IR-XWBH-R-P-0-Y-N-00	\$1,945.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S - lithium polymer battery and datalogging	M5IR-XWBH-R-D-D-Y-N-00	\$1,920.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> , H <sub>2</sub> S - lithium polymer battery, pump and datalogging	M5IR-XWBH-R-P-D-Y-N-00	\$2,045.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> - alkaline batteries	M5IR-XWB0-A-D-0-Y-N-00	\$1,480.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> - lithium polymer battery	M5IR-XWB0-R-D-0-Y-N-00	\$1,630.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> - lithium polymer battery and pump	M5IR-XWB0-R-P-0-Y-N-00	\$1,755.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> - lithium polymer battery and datalogging	M5IR-XWB0-R-D-D-Y-N-00	\$1,730.00
CO <sub>2</sub> (IR), %LEL, O <sub>2</sub> - lithium polymer battery, pump and datalogging	M5IR-XWB0-R-P-D-Y-N-00	\$1,855.00
CO <sub>2</sub> (IR) - alkaline batteries	M5IR-00B0-A-D-0-Y-N-00	\$1,205.00
CO <sub>2</sub> (IR) - lithium polymer battery	M5IR-00B0-R-D-0-Y-N-00	\$1,355.00
CO <sub>2</sub> (IR) - lithium polymer battery and pump	M5IR-00B0-R-P-0-Y-N-00	\$1,480.00
CO <sub>2</sub> (IR) - lithium polymer battery and datalogging	M5IR-00B0-R-D-D-Y-N-00	\$1,455.00
CO <sub>2</sub> (IR) - lithium polymer battery, pump and datalogging	M5IR-00B0-R-P-D-Y-N-00	\$1,580.00

## GasAlertMicro 5 IR Region Codes

For orders outside North America, change order number component “-N” to:

“-E”	Europe	“-B”	Brazil
“-U”	United Kingdom	“-X”	Other region with 3-pin UK plug
“-A”	Australia	“-Y”	Other region with 2-pin UK plug
“-C”	China/New Zealand		

Note: Listed above are **commonly ordered** instrument configurations. To create a custom GasAlertMicro 5 IR detector, use the configurator table on the next page or contact BW Technologies for a copy of the electronic pricing and order number configurator.

## Gas Legend

CO <sub>2</sub>	Carbon dioxide	CO	Carbon monoxide
%LEL	Combustible	SO <sub>2</sub>	Sulfur dioxide
O <sub>2</sub>	Oxygen	NH <sub>3</sub>	Ammonia
H <sub>2</sub> S	Hydrogen sulfide	O <sub>3</sub>	Ozone



**GasAlertMicro 5 IR**  
Diffusion version with datalogging

**GasAlertMicro 5 IR**  
Pump version with datalogging


# GasAlertMicro<sup>5</sup>IR Order Number and Pricing Configurator

<b>Sensor - Toxic 2</b>			<b>Battery</b>		
None (dummy sensor)	\$0.00	0	A	\$0.00	Alkaline
CO and H <sub>2</sub> S (TwinTox dual channel)	\$250.00	Y	R	\$150.00	Rechargeable lithium polymer battery pack and cradle charger
H <sub>2</sub> S (hydrogen sulfide)	\$190.00	H	V	\$220.00	Rechargeable lithium polymer battery pack, cradle charger and vehicle adaptor
CO (carbon monoxide)	\$200.00	M	<b>Sampling</b>		
SO <sub>2</sub> (sulfur dioxide)	\$295.00	S	D	\$0.00	Diffusion
NH <sub>3</sub> (ammonia)	\$395.00	A	P	\$125.00	Motorized sampling pump
O <sub>3</sub> (ozone)	\$485.00	G	<b>Datalogging</b>		
<b>Sensor - Toxic 1</b>			<b>Housing</b>		
None (dummy sensor)	\$0.00	0	Y	Yellow housing	
IR (infrared) for CO <sub>2</sub> (carbon dioxide)	\$755.00	B	B	Black housing	
<b>Sensor - Combustible Gases</b>			<b>Region</b>		
None (dummy sensor)	\$0.00	0	N	North America	
%LEL (combustibles)	\$155.00	W	E	Europe	
<b>Sensor - Oxygen</b>			C	China/New Zealand	
None	\$0.00	0	U	United Kingdom	
O <sub>2</sub> (oxygen)	\$120.00	X	A	Australia	
<b>Base Unit</b>			B	Brazil	
Base unit	\$450.00	M5IR	X	Other region with 3-pin UK plug	
			Y	Other region with 2-pin EU plug	

Order number:  -  -  -  -  -  -  -  -  -  -

Price (USD):  +  +  +  +  +  +  +  +  +  +  =

For example, the order number for a GasAlertMicro 5 IR configured for O<sub>2</sub>, %LEL, CO<sub>2</sub>, H<sub>2</sub>S and CO and equipped with a rechargeable lithium polymer battery pack and cradle charger, motorized sampling pump, datalogging, yellow housing and North American power connectivity would be M5IR-XWBY-R-P-D-Y-N-00 and the price would be \$2,105.00.

USA	1 888 749 8878	Europe	+44 (0)1295 700 300	China	+86 10 6786 7305	
Canada	1 800 663 4164	France	+33 (0) 442 98 17 70	S.E. Asia	+65 6580 3468	
Australia	+1 300 729 450	Middle East	+971 4 8871766	Other Countries	+1 403 248 9226	
<a href="http://www.gasmonitors.com">www.gasmonitors.com</a>			<a href="mailto:info@gasmonitors.com">info@gasmonitors.com</a>			

# GasAlertMicro 5 Series

5 - GAS DETECTOR

## Confined Space Kit

	Order Number	Price (USD)
<b>GasAlertMicro 5 Series</b> deluxe confined space kit <i>Detector and calibration gas sold separately</i>	M5-CK-DL	\$325.00
Carrying case for <b>GasAlertMicro 5 Series</b> with foam and lid insert	M5-CK-CC	\$145.00

## Carrying Accessories

	Order Number	Price (USD)
Concussion-proof boot, diffusion units	GA-BM5-1	\$40.00
Concussion-proof boot, pump units	GA-BM5-2	\$40.00
Carrying holster	GA-HM5	\$20.00
Alligator-style clip (stainless steel)	GA-AG-2	\$14.00
Neck strap with safety release	GA-NS-1	\$10.00
Short strap (6 in./15.2 cm)	GA-LY-1	\$5.00
Extension strap (4 ft./1.2 m)	GA-ES-1	\$35.00
Armband	GA-ARM-1	\$35.00
Chest harness	GA-CH-2	\$45.00

## Datalogging Accessories and Options

	Order Number	Price (USD)
MultiMedia card	M5-MMC	\$32.00
USB memory card reader	CR-MMC-USB1	\$55.00



**Concussion-Proof Boot**  
GA-BM5-2  
*For GasAlertMicro 5 Series  
pumped units*



**Concussion-Proof Boot**  
GA-BM5-1  
*For GasAlertMicro 5 Series  
diffusion units*

**Deluxe Confined Space Kit**  
M5-CK-DL  
*Order detector and calibration  
gas separately*



**Carrying Holster**  
GA-HM5  
*Fits securely on belt*



<b>Power Accessories, Options and Spares</b>	<b>Order Number</b>	<b>Price (USD)</b>
Alkaline battery pack, yellow*	M5-BAT0501	\$70.00
Alkaline battery pack, black*	M5-BAT0501B	\$70.00
Alkaline battery pack, European-style safety screws, yellow*	M5-BAT0502	\$70.00
Alkaline battery pack, European-style safety screws, black*	M5-BAT0502B	\$70.00
Lithium polymer rechargeable battery pack, yellow*	M5-BAT08	\$125.00
Lithium polymer rechargeable battery pack, black*	M5-BAT08B	\$125.00
Cradle charger and rechargeable battery pack, yellow*	M5-C01-BAT08	\$225.00
Cradle charger and rechargeable battery pack, black*	M5-C01-BAT08B	\$225.00
Cradle charger for rechargeable battery packs	M5-C01	\$170.00
Battery latch, replacement	M5-BL-1	\$6.00
12 Vdc vehicle adaptor cable for use with cradle charger (M5-C01)	GA-V-CHRG4	\$15.00

\*Battery packs should be used with the new versions GasAlertMicro 5 Series gas detectors that have red circuit boards. See the Sensor Accessories, Spares and Replacements section for order information on batteries for the old version GasAlertMicro 5 Series gas detectors (green circuit boards).



**Alkaline Battery Pack**  
M5-BAT0501/M5-BAT0501B  
M5-BAT0502/M5-BAT0502B



**Cradle Charger Kit with Battery**  
M5-C01-BAT08 / M5-C01-BAT08B  
*Complete with charger and rechargeable battery pack*



**Rechargeable Battery Pack**  
M5-BAT08/M5-BAT08B



**Cradle Charger**  
M5-C01  
*Cradle charger for rechargeable battery packs*



**Replacement Battery Latch**  
M5-BL-1



**Vehicle Adaptor 12 Vdc**  
GA-V-CHRG4  
*Vehicle adaptor cable for use with cradle charger (M5-C01)*

# GasAlertMicro 5 Series

5 - GAS DETECTOR

## Sampling/Testing Equipment and Spares

	Order Number	Price (USD)
Test cap and hose (1.5 ft./0.5 m) replacement	M5-TC-1	\$12.00
Integral motorized pump kit		
- Yellow	M5-PUMP	\$150.00
- Black	M5-PUMPB	\$150.00
<i>Includes motorized pump cover, 1 ft./30 cm sample probe with hydrophobic barrier (water trap) and particulate filters, 5 ft./1.5 m sampling tubing, three spare particulate filters and one spare water trap filter.</i>		
Auxiliary pump filter compatible with hose	M5-QCONN-K1	\$12.00
Auxiliary pump filter		
- Kit of 5	M5-AF-K2	\$30.00
- Kit of 100	M5-AF-K2-100	\$385.00
<b>MicroDock II</b> automatic test and calibration system:		
- Base station and <b>GasAlertMicro 5 Series</b> docking module (charging) with charging cable	DOCK2-2-1C1K-00-N*	\$1,695.00
- Base station and <b>GasAlertMicro 5 Series</b> docking module (non-charging)	DOCK2-2-1J-00-N*	\$1,545.00
- <b>GasAlertMicro 5 Series</b> docking module (charging), no charging cable	DOCK2-0-1K-00-N	\$650.00
- <b>GasAlertMicro 5 Series</b> docking module (non-charging)	DOCK2-0-1J-00-N	\$550.00
<i>For complete MicroDock II system configuration information, see MicroDock II section.</i>		
Manual aspirator pump kit with probe (1 ft./0.3 m)	GA-AS02	\$85.00

For a complete list of sampling probes, hoses, accessories and spares, see Sampling Accessories section.

\* Change order number suffix "-N" to: "-E" for European versions, "-U" for United Kingdom versions, "-A" for Australian versions.



**Replacement Test Cap and Hose**  
M5-TC-1



**Auxiliary Pump Filter with Hose Connector**  
M5-QCONN-K1



**M5 Pump**  
M5-PUMP



**Auxiliary Pump Filter**  
M5-AF-K2 / M5-AF-K2-100  
*Easily attaches with a quick connect fitting to provide additional pump protection*



**Replacement Diffusion Cover**  
M5-DC-1



**Manual Aspirator Pump**  
GA-AS02  
*For remote sampling. Complete with probe, hose and aspirator pump*

<b>Sensor Spares and Replacements</b>	<b>Order Number</b>	<b>Price (USD)</b>
Quad sensor screen filters, kit of 2	M5-SS	\$19.00
Alkaline battery pack (for use with GasAlertMicro 5 Series detectors with green circuit boards)	M5-BAT02	\$80.00
Alkaline battery pack (for use with GasAlertMicro 5 Series detectors with green circuit boards), European-style safety screws	M5-BAT03	\$80.00
Rechargeable lithium polymer battery pack (for use with GasAlertMicro 5 Series detectors with green circuit boards), yellow or black	M5-BAT07 M5-BAT07B	\$125.00 \$125.00
Replacement power supply for chargers	POWER-UPS-1	\$50.00
Replacement pump, yellow	M5-PR-1	\$130.00
Replacement pump, black	M5-PRB-1	\$130.00
Replacement diffusion cover, yellow	M5-DC-1	\$25.00
Replacement diffusion cover, black	M5-DCB-1	\$25.00
Replacement carbon dioxide (CO <sub>2</sub> ) IR sensor	SR-B04	\$870.00
Replacement volatile organic compounds (VOC) PID sensor, 10.6eV	SR-Q07	\$665.00
Replacement electrode stacks for PID sensor (SR-Q07), kit of 2	M5PID-ES-1	\$25.00
Replacement PID lamp, (10.6eV) for PID sensor (SR-Q07)	RL-PID10.6	\$195.00
Cleaning kit for PID sensor	M5PID-CLN-K1	\$25.00
Replacement TwinTox sensor - carbon monoxide (CO) and hydrogen sulfide (H <sub>2</sub> S)	D4-RHM04	\$295.00
Replacement hydrogen sulfide (H <sub>2</sub> S) sensor	PS-RH04S	\$190.00
Replacement carbon monoxide (CO) sensor	PS-RM04	\$200.00
Replacement carbon monoxide (CO) sensor, H <sub>2</sub> resistant	PS-RM04H	\$270.00
Replacement sulfur dioxide (SO <sub>2</sub> ) sensor	PS-RS04	\$295.00
Replacement chlorine (Cl <sub>2</sub> ) sensor	PS-RC10	\$295.00
Replacement hydrogen cyanide (HCN) sensor	PS-RZ10	\$295.00
Replacement nitrogen dioxide (NO <sub>2</sub> ) sensor	PS-RD04	\$295.00
Replacement ammonia (NH <sub>3</sub> ) sensor	SR-A04	\$395.00
Replacement phosphine (PH <sub>3</sub> ) sensor	SR-P04	\$295.00
Replacement ozone (O <sub>3</sub> ) sensor	SR-G04	\$485.00
Replacement chlorine dioxide (ClO <sub>2</sub> ) sensor	SR-V04	\$295.00
Replacement combustible sensor with heavy duty silicone filter*	SR-W04	\$175.00
Replacement combustible sensor without heavy duty silicone filter*	SR-W04-UF	\$195.00
<i>*Advisory: Detectors are equipped on a standard basis with SR-W04 combustible sensors. This sensor includes a heavy duty silicone filter that make it ideal for use in environments that have known sources of silicone or vapors containing silicon. The SR-W04 silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38°C (100°F).</i>		
Replacement oxygen (O <sub>2</sub> ) sensor	SR-X10	\$135.00
Dummy sensor for 3-pin O <sub>2</sub> or 3-pin TwinTox locations	SR-DUMM1	\$25.00
Dummy sensor for LEL location	SR-DUMM2	\$25.00
Dummy sensor for PID location	SR-DUMM3	\$10.00

#### **PID Cleaning Kit**

M5PID-CLN-K1  
For PID Sensors



#### **Replacement 10.6 eV PID Lamp**

RL-PID10.6  
For PID Sensors



#### **Replacement Electrode Stack**

M5PID-ES-1  
For PID Sensors



**Replacement PID Sensor**  
SR-Q07



**Replacement IR Sensor**  
SR-B04